

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/510,145	(	04/19/2005	Mats Sundberg	1734	8647	
20676	7590	10/03/2006		EXAMINER		
ALFRED J			RALIS, STEPHEN J			
	4729 CORNELL ROAD CINCINNATI, OH 452412433			ART UNIT	PAPER NUMBER	
·				3742	3742	
				DATE MAILED 10/03/200		

Please find below and/or attached an Office communication concerning this application or proceeding.

		(				
	Application No.	Applicant(s)				
	10/510,145	SUNDBERG ET AL.				
Office Action Summary	Examiner	Art Unit				
	Stephen J. Ralis	3742				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period of  - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from to cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>05 Ju</u>	<u>ıly 2006</u> .	•				
2a)⊠ This action is <b>FINAL</b> . 2b)☐ This						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 49	53 O.G. 213.				
Disposition of Claims		•				
4) Claim(s) 1,2,4-6 and 8-11 is/are pending in the						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1,2,4-6 and 8-11</u> is/are rejected. 7)□ Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers	·					
9) The specification is objected to by the Examine 10) The drawing(s) filed on 03 October 2004 is/are		I to by the Examiner				
Applicant may not request that any objection to the	•					
Replacement drawing sheet(s) including the correct						
11) The oath or declaration is objected to by the Ex						
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign a)⊠ All b)□ Some * c)□ None of:	priority under 35 U.S.C. § 119(a	)-(d) or (f).				
Certified copies of the priority document						
2. Certified copies of the priority document						
3. Copies of the certified copies of the prio	·	ed in this National Stage				
application from the International Burea  * See the attached detailed Office action for a list		ed.				
See the attached detailed Office action for a list	of the definited dopies not receive					
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary					
<ul> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO/SB/08)</li> </ul>	Paper No(s)/Mail D 5) Notice of Informal F					
Paper No(s)/Mail Date	6) Other:	••				

Art Unit: 3742

#### **DETAILED ACTION**

### Response to Amendment

1. Applicant is notified of receipt and acknowledgement, on 05 July 2006, of the amendments to Application No. 10/510,145, filed on 03 October 2004.

## Joint Inventors - Common Ownership Presumed

2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

# Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 3742

- 4. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.
  - 3. Resolving the level of ordinary skill in the pertinent art.
  - Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 5. Claims 1, 4-6, 8 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schrewelius (U.S. Patent No. 2,955,145) in view of Schrewelius (U.S. Patent No. 2,992,959) and in further view of Sekhar et al. (U.S. Patent No. 5,420,399).

Schrewelius'145 discloses a molybdenum-silicide-type heating element and method of producing (column 2, lines 14-54) containing essentially of molybdenum silicide (column 1, lines 59-42; column 2, lines 1-2, 31-35) and alloys of that material, said method comprising the steps of: producing a material that contains substantially  $Mo(SI_{1-x} AI_x)_2$  by mixing a molybdenum aluminum silicide  $Mo(SI_{1-y} AI_y)_2$  with  $SiO_2$  (column 2, lines 31-36), and forming a heating element from the produced material column 2, lines 14-70). While Schrewelius'145 is silent to the production of  $AI_2O_3$  in addition to the  $Mo(SI_{1-x} AI_x)_2$ , examiner notes that  $Mo(SI_{1-x} AI_x)_2$ , when combined with  $SiO_2$  and sintered, produces an  $AI_2O_3$  product as will be shown by Schrewelius'959.

Art Unit: 3742

Schrewelius'145 discloses a molybdenum-silicide-type heating element and method of producing except for the product of the mixing comprises Al<sub>2</sub>O<sub>3</sub>; the SiO<sub>2</sub> being at least 98% pure; and the oxide layer not peeling under thermal cycling at about 1500°C.

Schrewelius'959 teaches a method of producing a molybdenum-silicide-type heating element in which a AI<sub>2</sub>O<sub>3</sub> product is formed via the chemical reaction to form a ceramic glass component that efficiently stops the grain growth of the silicide at high temperatures (column 5, lines 69-75; column 6, lines 1-7); and the oxide layer not peeling under thermal cycling at about 1500°C (material of type III can withstand a temperature of 1650°C for more than 1000 hours (material III: column 5, lines 11-17; a material able to withstand an operating temperature of 1650°C inherently does not deteriorate or peel over time; column 7, lines 45-50), protecting against further oxidation (column 8, claim 2), thereby increasing the operational life of said heating element.

Sekhar et al. teach a method of producing a heating element utilizing pure SiO<sub>2</sub> to reduce the impurities in the resulting heating element, increasing the working temperature of the heating element (column 16, lines 12-20), thereby producing a more efficient heating element.

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the molybdenum-silicide-type heating element and method of producing of Schrewelius'145 with the teaching of the production of  $Al_2O_3$  in addition to the  $Mo(Sl_{1-x}Al_x)_2$  of Schrewelius'959 to form a ceramic glass component that efficiently stops the grain growth of the silicide at high temperatures, protecting

Art Unit: 3742

against further oxidation (column 8, claim 2), thereby increasing the operational life of said heating element. It would have further been obvious to one of ordinary skill in the art at the time of the invention was made to modify the Schrewelius'145-Schrewelius'959 molybdenum-silicide-type heating element and method of producing combination with the teaching of utilizing pure SiO<sub>2</sub> of Sekhar et al. to reduce the impurities in the resulting heating element, increasing the working temperature of the heating element, thereby producing a more efficient heating element thereof.

Schrewelius'145 further discloses wherein x lies in the range of 0.4 - 0.6; wherein x lies in the range of 0.45 - 0.55 (i.e. 0.2 - 0.6; column 1, line 69; column 4, claims 1, 3); including the step of partially substituting Re or W in the material Mo(SI<sub>1-x</sub> AI<sub>x</sub>)<sub>2</sub> for molybdenum (i.e. W or tungsten; column 1, lines 59-72; column 2, lines 1-2; column 4, claims 1, 3).

6. Claims 2 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schrewelius (U.S. Patent No. 2,955,145) in view of Schrewelius (U.S. Patent No. 2,992,959) and Sekhar et al. (U.S. Patent No. 5,420,399) as applied to claim 1 above, and further in view of Chyung et al. (U.S. Patent No. 3,725,091).

The Schrewelius'145-Schrewelius'959-Sekhar molybdenum-silicide-type heating element and method of producing combination discloses all of the limitations, as described in claim 1 of paragraph 8, except for wherein the SiO<sub>2</sub> is present in the mixture is a silicate and does not affect symmetry of molybdenum silicide crystal lattice; and wherein the silicate is mullite.

Art Unit: 3742

Chyung et al. a method for producing a heating element (column 1, lines 9-14; column 2, lines 10-16) wherein the SiO, is present in the mixture (column 3, lines 12-17) is a silicate mullite (i.e. mullite; 3 Al 2 O 3 2 SiO 2 inherently has SiO 2; is used; i.e. high temperature applications; column 48-52) and does not affect symmetry of molybdenum silicide crystal lattice (column 2, lines 65-68; column 3, lines 1-7, lines 57-64; column 10-11, claim 9) to provide an improved cermet material of high density, low porosity, good thermal conductivity, low electrical resistivity and good strength which is compatible with both metals and ceramics in terms of thermal expansion and bonding capability, thereby producing a more efficient heating element. It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the Schrewelius'145-Schrewelius'959-Sekhar molybdenum-silicide-type heating element and method of producing combination with the mixture and teaching of the use thereof of Chyung et al. to provide an improved cermet material of high density, low porosity, good thermal conductivity, low electrical resistivity and good strength which is compatible with both metals and ceramics in terms of thermal expansion and bonding capability, thereby producing a more efficient heating element.

7. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Schrewelius (U.S. Patent No. 2,955,145) in view of Schrewelius (U.S. Patent No. 2,992,959), Sekhar et al. (U.S. Patent No. 5,420,399) and Chyung et al. (U.S. Patent No. 3,725,091) as applied to claim 2 above, and further in view of Sawamura et al. (U.S. Patent No. 5,756,215).

Art Unit: 3742

The Schrewelius'145-Schrewelius'959-Sekhar-Chyung molybdenum-silicide-type heating element and method of producing combination discloses all of the limitations, as described in claim 1 of paragraph 8, except for the silicate being sillimanite instead of mullite. Sawamura teaches that sillimanite is an equivalent structure known in the art (metal oxide comprising at least one of mullite or sillimanite; column 12, lines 40-45). Therefore because these two silicates were art-recognized equivalents at the time of the invention was made, one of ordinary skill in the art would have found it obvious to substitute sillimanite for mullite.

## Response to Arguments

- Examiner accepts amendments to Claims and respectfully withdraws all objections, accordingly.
- Applicant's arguments filed 05 July 2006 have been fully considered but they are not persuasive.
- 10. With respect to Applicant's argument that Schrewelius'145 does not disclose  $Mo(SI_{1-x}AI_x)_2$ , the Examiner respectfully disagrees. Schrewelius'145 discloses  $(Mo_{1-y}M_y)(SI_{1-x}AI_x)_2$  and while the disclosure primarily focuses on the addition of a metal, M, to the composition, Schrewelius'145 explicitly anticipate no metal alloy, M, being present in the composition (the composition becoming  $Mo(SI_{1-x}AI_x)_2$ ; column 1, lines 59-72) and further being combined with  $SiO_2$  (both legs combined with a lower percentage of  $SiO_2$ ; column 2, lines 31-40). Therefore, the Examiner maintains the

Art Unit: 3742

position that Schrewelius'145 anticipates the molybdenum silicide material being  $Mo(SI_{1-x}AI_x)_2$  having no metal, M, and combines the composition with  $SiO_2$ .

- 11. With respect to Applicant's argument Schrewelius'959 does not disclose or even suggest an Al<sub>2</sub>O<sub>3</sub> surface layer, but instead only a SiO<sub>2</sub> surface layer, the Examiner respectfully disagrees. While Schrewelius'959 does disclose the layer being a quartz glass or SiO<sub>2</sub> layer, Schrewelius'959 also disclose that during the final sintering process/operation, silica or mixed oxides are formed which fill up the remaining pores and form a surface film of SiO<sub>2</sub> (column 2, lines 28-32; column 4, lines 34-38). Schrewelius'959 further disclose the ceramic glass component being a product of Al<sub>2</sub>O<sub>3</sub> and SiO<sub>2</sub> (column 6, lines 3-7), and with the previous mentioned disclosure, would provide particles Al<sub>2</sub>O<sub>3</sub> to fill the pores of SiO<sub>2</sub>. Therefore, the Examiner maintains the position that a SiO<sub>2</sub> with Al<sub>2</sub>O<sub>3</sub> in the pores of the surface is an Al<sub>2</sub>O<sub>3</sub> layer as well as a SiO<sub>2</sub>.
- 12. In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

Art Unit: 3742

#### Conclusion

13. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen J. Ralis whose telephone number is 571-272-6227. The examiner can normally be reached on Monday - Friday, 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robin Evans can be reached on 571-272-4777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/510,145 Page 10

Art Unit: 3742

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Stephen J Ralis Examiner Art Unit 3742

SJR September 15, 2006

ROBIN EVANS
OURERVISORY PATENT EXAMINER